| | Thic | kness | Drai | nage | Wound | | | | | Char | ige Freq. | | |
|----------------------|---------|-------|------|-------|----------------|--|-----------|----------------------|---------|-----------------|-----------|---------|-----------------------------|
| en . | _ | Full | | _ | Size (S.I.) | Primary Dressing | Guideline | | Wound # | | | | |
| stalled Bioburden | Partial | | Mod | Heavy | | The below dressing selections are consistent with CMS guidelines, however more options may be available. | | | | | | (up-to) | (If blank use Guideline) |
| | | | | | 4 | Collagen | 2 x 2 | Conforming Bandage S | t. 3" | Daily | | | |
| | | | | | 16 | | 4 x 4 | plus 2' paper tape | | | | | |
| | | | | | 49 | | _ 7 x 7 | | | | | | |
| 1 | | | | | 4 | Collagen Ag | 2 x 2 | | | | | | |
| | | | | | 16 | | 4 x 4 | | | | | | |
| | | | | | 49 | | 7 x 7 | | | | | | |
| | | | | | 4 | Collagen | 2 x 2 | Superabsorber | 3.5 x 4 | | | | |
| | | | | | 16 | | 4 x 4 | with Border | 6 x 7 | | | | |
| | | | | | 49 | | _ 7 x 7 | | 8 x 10 | | | | |
| | | | | | 4 | Collagen Ag | 2 x 2 | | 3.5 x 4 | | | | |
| | | | | | 16 | | 4 x 4 | | 6 x 7 | | | | |
| | | | | | 49 | | 7 x 7 | | 8 x 10 | | | | |
| | | | 1 | | 4 | Alginate | 2 x 2 | Conforming Bandage S | t. 3" | | | | |
| | | | _ | | 20 | | _ 4 x 5 | plus 2' paper tape | | | | | |
| 1 | | | | | 4 | Alginate Ag | 2 x 2 | | | | | | |
| | | | _ | | 20 | | _ 4 x 5 | | | | | | |
| | | | | | 16 | Superabsorber | 4 x 4 | | | | | | |
| | | | | | 40 | | 6 x 10 | | | | | | |
| | | | | | 9 | Superabsorber | 3 x 3 | Foam Silicone | 4 x 5 | Q3D | | | |
| | | | | | 16 | | 4 x 4 | plus 2' paper tape | 6 x 6 | | | | |
| | | | 1 | | 2 | Foam Silicone | 2 x 2 | Conforming Bandage S | t. 3" | | | | |
| | | | | | 12 | | 4 x 5 | plus 2' paper tape | | | | | |
| | | | | | 36 | | _ 8 x 8 | | | | | | |
| | | | | | 2 | Foam Silicone Ag | 2 x 2 | | | | | | |
| | | | | | 12 | | 4 x 5 | | | | | | |
| | | | | | 36 | | 8 x 8 | | | | | | |
| Other | | | | | | | | | Disp | ense as Written | | | |

| Compression - Only covered with open venous stasis ulcer DX1 | | | | | | | | | | DX2 | - | | |
|--|--------------|--------------|----|-----------|---------|--|--------|-------|-----|------------------|----------|------|----------------|
| mmHg | Ankle | Mid-Ca | | lack Knee | Style | | | | and | CompreFlex Lite* | □ Ready\ | Vrap | □ Juzo |
| Right □ 30-40 | | cm | cm | cm | □ Calf | | Open | Above | ⋇ | JuxtaLite* | Jobst 🗆 | Me | edi Dual Layer |
| Left □ 30-40 | | cm | cm | cm | □ Ankle | | Closed | Below | | Carolon | Sigvaris | | Farrow* |
| * One per six (6) mon | ths per leg. | - | | | | | | | | | Version | 1/1 | 1/2019 |

This document contains privileged information intended only for the use of addressee(s) listed. If you are not the intended recipient of this document, you are hereby notified that any dissemination or copying of this document is strictly prohibited. If you have received this document in error, please notify us immediately by telephone and return the original via the US Postal Service to: Byram Healthcare, 120 Bloomingdale Rd, Suite 301, White Plains, NY 10605. Thank you. © 2018 Byram Healthcare. All rights reserved. Printed in the US.